

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	634	(sensor or detector or probe or monitor ) near5 (mount \$3 ) near5 (opening or hole or bore) and seal\$3 with wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:20
L2	148	land "73".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:21
L3	410	(sensor or detector or probe or monitor ) near5 (mount \$3 ) near5 (opening or hole or bore) and seal\$3 near5 wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:25
L4	100	3 and "73".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:26
L5	0	4 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:33
L6	310	3 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:33
L7	1187	73/660-66 lccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:34

L8	148	7 and seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:34
L9	29	7 and seal\$3 near5 (housing or wall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:35
L10	7	(sensor or detector or probe or monitor ) near5 (mount \$3 ) near5 (opening or hole or bore) same (conical or frustoconical) and seal\$3 near5 wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:50
L11	14	(sensor or detector or probe or monitor ) near5 (mount \$3 ) near5 (opening or hole or bore) same (conical or frustoconical) and seal\$3 near5 (housing or wall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 14:51
L12	14	7 and seal\$3 and (frustoconical or conical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 15:02
S1	4927	(sensor or detector or probe or monitor ) near5 housing with seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/26 14:01
S2	3449	(sensor or detector or probe or monitor ) near5 housing near5 seal \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/26 14:02

S3	92	(sensor or detector or probe or monitor ) near3 (in or into) near5 housing near5 seal \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/26 14:03
S4	1	(10/317210).APP.	USPAT; USOCR	OR	ON	2008/02/26 14:07
S5	697	73/866.5.ccls.	USPAT; USOCR	OR	ON	2008/02/26 14:16
S6	336	S5 and seal\$3	USPAT; USOCR	OR	ON	2008/02/26 14:26
S7	96	S6 and clamp\$3	USPAT; USOCR	OR	ON	2008/02/26 14:26
S9	96	S7 not S3	USPAT; USOCR	OR	ON	2008/02/26 14:27
S10	535	S5 and (wall or housing)	USPAT; USOCR	OR	ON	2008/02/26 14:49
S11	449	S10 not S9	USPAT; USOCR	OR	ON	2008/02/26 14:49
S12	697	73/866.5.ccls.	USPAT; USOCR	OR	ON	2008/02/28 09:57
S13	336	S12 and seal\$3	USPAT; USOCR	OR	ON	2008/02/28 09:57
S14	96	S13 and clamp\$3	USPAT; USOCR	OR	ON	2008/02/28 09:57
S15	86	S14 and (wall or housing)	USPAT; USOCR	OR	ON	2008/02/28 09:57
S16	3448	(sensor or detector or probe or monitor ) near5 (wall or housing) near3 seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:04
S17	1	73/660.ccls. and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:04
S18	886	(sensor or detector or probe or monitor ) near5 (wall) near3 seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:05
S19	413	(sensor or detector or probe or monitor ) near5 (wall) near5 (opening or hole ) same seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:07

S20	638	(sensor or detector or probe or monitor ) near5 (wall) near5 (opening or hole or bore) and (hole or opening or bore or wall) near3 seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:08
S21	196	S20 and "73".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:23
S22	89	(sensor or detector or probe or monitor ) near5 (wall) near5 (opening or hole or bore) and (hole or opening or bore or wall) near3 seal\$3 and first near3 seal\$3 and second near3 seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:29
S23	124	(sensor or detector or probe or monitor ) near5 (wall) near5 (opening or hole or bore) and first near3 seal\$3 and second near3 seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:38
S24	35	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:38
S25	0	"6447332".pn. and seal\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 10:59
S26	4	("6032538"  "6579030").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_ TDB	OR	ON	2008/02/28 11:08

2/28/08 5:04:19 PM